ELSEVIER

Polymer Degradation and Stability **62** (1998) 607–619
© 1998 Elsevier Science Limited
Printed in Great Britain. All rights reserved

Contents of Volumes 59–62

Volume 59 Numbers 1–3 1998

Special Issue: Biodegradable Polymers and Macromolecules

Papers presented at the European Materials Research Society 1997 Spring Meeting, Symposium H
Strasbourg, France, 16–20 June 1997

vii List of Sponsors

1 Guest Editorial

3 Ecological considerations on the use and production of biosynthetic and synthetic biodegradable polymers
M. HEYDE (Germany)

7 Prerequisites for biodegradable plastic materials for acceptance in real-life composting plants and technical aspects
B. DE WILDE & J. BOELENS (Belgium)

13 A new resorbable monofilament suture
K. TOMIHATA, M. SUZUKI, T. OKA & Y. IKADA (Japan)

19 Requirements for biodegradable water-soluble polymers
G. SWIFT (USA)

25 Fibrous proteins—silk as a model system
D. L. KAPLAN (USA)

33 Hydrolytic degradation and mechanical properties of hydrogels prepared from microbial poly(amino acid)s
M. KUNIOKA (Japan) & H. J. CHOI (Korea)

39 Chemical synthesis of polyaspartates: a biodegradable alternative to currently used polycarboxylate homo- and copolymers
M. SCHWAMBORN (Germany)

47 Applications of molecular genetics for biosynthesis of novel lignins
M. BAUCHER, J. H. CHRISTENSEN, H. MEYERMANS, C. CHEN, J. VAN DOORSSELAERE (Belgium), J.-C. LEPLÉ, G. PILATE, M. PETIT-CONIL, L. JOUANIN, B. CHABBERT, B. MONTIES (France), M. VAN MONTAGU & W. BOERJAN (Belgium)

53 Novel structures and properties of lignins in relation to their natural and induced variability in ecotypes, mutants and transgenic plants
B. MONTIES (France)

65 Evaluation of the reproducibility of the synthesis of dehydrogenation polymer models of lignin
B. CATHALA (France), B. SAAKE, O. FAIX (Germany) & B. MONTIES (France)

71 Investigation of lignins structure in cereal crops by chemical degradation methods
E. BILLA, E. G. KOUKIOS (Greece) & B. MONTIES (France)

77 Properties of model compounds of lignin (dehydrogenation polymers = DHPs) at the air/water interface
B. CATHALA, V. AUGIÉ-BÉGHIN, R. DOUILLARD & B. MONTIES (France)

81 Properties and applications of xanthan gum
B. KATZBAUER (Switzerland)

85 Biosynthesis and applications of alginates
H. ERTESVÅG & S. VALLA (Norway)

93 Improved production of bacterial cellulose and its application potential
E. J. VANDAMME, S. DE BAETS, A. VANBAELEN, K. JORIS & P. DE WULF (Belgium)

101 Production and application of microbial cellulose
R. JONAS (Brazil, Germany) & L. F. FARAH (Brazil)

107 Thermoplastic and biodegradable polymers of cellulose
J. SIMON, H. P. MÜLLER, R. KOCH & V. MÜLLER (Germany)

117 Chemistry and application of chitin and chitosan
K. KURITA (Japan)

121 Use of thixotropic biopolymers as an alternative to agar for the cultivation of microorganisms on solid media
E. C. HILL (UK)

129 Chemical synthesis of polylactide and its copolymers for medical applications
D. BENDIX (Germany)

137 Aliphatic polyesters and their copolymers synthesized through direct condensation polymerization
M. AJIOKA, H. SUIZU, C. HIGUCHI & T. KASHIMA (Japan)

145 Large-scale production, properties and commercial applications of polylactic acid polymers
J. LUNT (USA)

153 Polyesters from lactides and ϵ-caprolactone. Dispersion polymerization versus polymerization in solution
S. SLOMKOWSKI, S. SOSNOWSKI & M. GADZINOWSKI (Poland)

161 Reactive compatibilization of biodegradable blends of poly(lactic acid) and poly(ϵ-caprolactone)
L. WANG, W. MA, R. A. GROSS & S. P. McCARTHY (USA)

169 Chemical routes to poly(β-malic acid) and potential applications of this water-soluble bioresorbable poly(β-hydroxy alkanoate)
M. VERT (France)

177 Biosynthesis of polyesters in bacteria and recombinant organisms
A. STEINBÜCHEL, B. FÜCHTENBUSCH, V. GORENFLO, S. HEIN, R. JOSSEK, S. LANGENBACH & B. H. A. REHM (Germany)

183 Approaches to increase the economy of the PHB production
J.-U. ACKERMANN & W. BABEL (Germany)

187 Engineering the composition of co-polyesters synthesized by *Alcaligenes eutrophus*
A. S. KELLEY, D. E. JACKSON, C. MACOSKO & F. SRIENC (USA)

191 Production of PHB with a high molecular mass from methane
K.-D. WENDLANDT, M. JECHOREK, J. HELM & U. STOTTMEISTER (Germany)

195 *In vitro* biosynthesis of polyesters with isolated enzymes in aqueous systems and organic solvents
S. KOBAYASHI, H. UYAMA & S. NAMEKAWA (Japan)

203 Architecture of biodegradable copolyesters containing aromatic constituents
R.-J. MÜLLER, U. WITT, E. RANTZE & W.-D. DECKWER (Germany)

209 Processability and properties of aliphatic polyesters, 'BIONOLLE', synthesized by polycondensation reaction
T. FUJIMAKI (Japan)

215 Block and random copolymers of ϵ-caprolactone
A. DUDA, T. BIELA, J. LIBISZOWSKI, S. PENCZEK (Poland), P. DUBOIS, D. MECERREYES & R. JÉRÔME (Belgium)

223 BAK 1095 and BAK 2195: completely biodegradable synthetic thermoplastics
E. GRIGAT, R. KOCH & R. TIMMERMANN (Germany)

227 Ring-opening polymerization of lactides initiated with yttrium Tris-isopropoxyethoxide
V. SIMIC, V. GIRARDON, N. SPASSKY, L. G. HUBERT-PFALZGRAF (France) & A. DUDA (Poland)

231 Potato pulp; properties, physical modification and applications
F. MAYER (Germany)

237 Polyphenoles for compounded materials
A. KHARAZIPOUR, C. MAI & A. HÜTTERMANN (Germany)

245 Properties and applications of compostable starch-based plastic material
J. LÖRCKS (Germany)

251 Construction materials based upon biologically renewable resources—from components to finished parts
A. S. HERRMANN, J. NICKEL & U. RIEDEL (Germany)

263 Properties and applications of Mater-Bi starch-based materials
C. BASTIOLI (Italy)

273 Use of kraft lignin as filler for starch films
S. BAUMBERGER, C. LAPIERRE, B. MONTIES & G. DELLA VALLE (France)

279 Innovative biodegradable materials based upon starch and thermoplastic poly(ester-urethane) (TPU)
T. SEIDENSTÜCKER & H.-G. FRITZ (Germany)

287 LDPE/plasticized starch blends containing PE-g-MA copolymer as compatibilizer
D. BIKIARIS, J. PRINOS, K. KOUTSOPOULOS, N. VOUROUTZIS, E. PAVLIDOU, N. FRANGIS & C. PANAYIOTOU (Greece)

293 Processing and characterization of biodegradable products based on starch
U. FUNKE, W. BERGTHALLER & M. G. LINDHAUER (Germany)

297 Specific degradation of hyaluronic acid and its rheological properties
E. GURA, M. HÜCKEL & P.-J. MÜLLER (Germany)

303 The effects of primary structure on the degradation of poly(ϵ-caprolactone)/poly(L-lactide) block copolymers
M. R. LOSTOCCO, C. A. MURPHY, J. A. CAMERON & S. J. HUANG (USA)

309 Relevance of biofilms for the biodeterioration of surfaces of polymeric materials
H.-C. FLEMMING (Germany)

317 Microbial degradation of polyesters: a review on extracellular poly(hydroxyalkanoic acid) depolymerases
D. JENDROSSEK (Germany)

327 Biodegradabilities of various aliphatic polyesters in natural waters
K.-I. KASUYA, K.-I. TAKAGI, S.-I. ISHIWATARI, Y. YOSHIDA & Y. DOI (Japan)

333 Microbial degradation of poly-(L-lactic acid) oligomers
S. KARJOMAA, T. SUORTTI, R. LEMPIÄINEN, J.-F. SELIN & M. ITÄVAARA (Finland)

337 Biodegradation of polyamides
F. B. OPPERMANN, S. PICKARTZ & A. STEINBÜCHEL (Germany)

345 Structure-to-function relationships in the biodegradation of poly(amino acid)s
F. RYPÁČEK (Czech Republic)

353 Rubbercycle: a bioprocess for surface modification of waste tyre rubber
R. A. ROMINE & M. F. ROMINE (USA)

359 Structural features of lignin determining its biodegradation by oxidative enzymes and related systems
B. KUREK, M. J. MARTINEZ-INIGO, I. ARTAUD (France), B. R. HAMES (USA), C. LEQUART & B. MONTIES (France)

365 ISO standard activities in standardization of biodegradability of plastics—development of test methods and definitions
H. SAWADA (Japan)

371 Biodegradability and compostability of polymeric materials in the context of the European packaging regulation
U. PAGGA (Germany)

377 Creating the framework for a widespread use of biodegradable polymers (standardization, labelling, legislation, biowaste management)
J. SCHROETER (Germany)

383 Production of novel polymers in transgenic plants
J. RIESMEIER, J. KOßMANN, R. TRETHEWEY, A. HEYER, V. LANDSCHÜTZE & L. WILLMITZER (Germany)

387 Effect of fermentation performance on the economics of poly(3-hydroxybutyrate) production by *Alcaligenes latus*
S. Y. LEE & J.-I. CHOI (Korea)

395 Calendar of events

Volume 60 Number 1 1998

1 Effect of the plasticizer concentration and heating rate on the thermal decomposition behaviour of PVC plastisols. Kinetic analysis
A. MARCILLA & M. BELTRÁN (Spain)

11 Stress cracking of polyurethanes by absorbed steroids
K. HUGHES-DILLON & L. W. SCHROEDER (USA)

21 Modeling of localized degradation in polymers under stress
I. D. SKRYPNYK (Ukraine), H. D. HOEKSTRA & J. L. SPOORMAKER (The Netherlands)

33 Polypropylene chain scissions and molecular weight changes in multiple extrusion
V. A. GONZÁLEZ-GONZÁLEZ, G. NEIRA-VELÁZQUEZ & J. L. ANGULO-SÁNCHEZ (Mexico)

43 Thermal degradation behaviour of poly(isopropenyl acetate)
I.C. McNEILL, S. AHMED, S. RENDALL & J. G. GORMAN (UK)

53 Photochemical behaviour of natural silk—I. Kinetic investigation of photoyellowing
S. BALTOVA, V. VASSILEVA & E. VALTCHEVA (Bulgaria)

61 Photochemical behaviour of natural silk—II. Mechanism of fibroin photodestruction
S. BALTOVA & V. VASSILEVA (Bulgaria)

67 Thermal analysis of some chitosan Schiff bases
F. A. A. TIRKISTANI (Saudi Arabia)

71 Pyrolysis of some acrylamido derivatives bearing a heterocyclic group
N. A. AL-AWADI & M. Z. ELSABEE (Kuwait)

79 Studies on biodegradation of LDPE—observation of LDPE films scattered in agricultural fields or in garden soil
Y. OHTAKE, T. KOBAYASHI, H. ASABE & N. MURAKAMI (Japan)

85 Critical antioxidant concentrations in polymer oxidation—I. Fundamental aspects
F. GUGUMUS (Switzerland)

99 Critical antioxidant concentrations in polymer oxidation—II. Experimental 'proofs'
F. GUGUMUS (Switzerland)

119 Critical antioxidant concentrations in polymer oxidation—III. Application to lifetime prediction
F. GUGUMUS (Switzerland)

137 Effect of temperature on the photooxidation of polypropylene films
L. AUDOUIN, S. GIROIS, L. ACHIMSKY & J. VERDU (France)

145 Singlet oxygen reactions in a glassy polystyrene matrix
R. D. SCURLOCK, M. KRISTIANSEN, P. R. OGILBY, V. L. TAYLOR & R. L. CLOUGH (USA)

161 Characterization and degradation of some silicon-containing polyimides
T. C. CHANG & K. H. WU (Taiwan)

169 Epoxy resins cured with aminophenylmethylphosphine oxide—II. Mechanism of thermal decomposition
S. V. LEVCHIK, G. CAMINO, M. P. LUDA, L. COSTA (Italy), G. MULLER & B. COSTES (France)

185 Synthesis, characterization and thermal degradation of poly[(2-phenyl-1,3-dioxolane-4-yl)methyl methacrylate]
M. COŞKUN, Z. ILTER, E. ÖZDEMIR, K. DEMIRELLI & M. AHMEDZADE (Turkey)

195 Thermal and photo-oxidative stabilisation of polyolefin films: mode of action of novel naphthalene-hindered piperidine derivatives
R. A. ORTIZ, E. A. R. SALAS (Mexico) & N. S. ALLEN (UK)

205 Polymer bound HALS—expectations and possibilities
J. MALÍK, G. LIGNER & L. ÁVÁR (France)

215 Comment: Oxygen charge-transfer complexes as peroxidation initiators in polymers
G. SCOTT (UK)

217 Reply to "Comment on Oxygen charge-transfer complexes as peroxidation initiators in polymers"
P. GIJSMAN (The Netherlands)

221 Calendar of events

Volume 60 Numbers 2–3 1998

223 Ozone interaction with conjugated polymers—I. Polyacetylene
F. CATALDO (Italy)

233 Ozone interaction with conjugated polymers—II. Polyphenylacetylene
F. CATALDO (Italy)

239 Dioxouranium (VI) complexes with cellulose acetate
A.H. BASTA & W.M. HOSNY (Egypt)

247 Infra-red spectroscopic study of lignins
A.M.A. NADA, M. EL-SAKHAWY & S.M. KAMEL (Egypt)

253 Thermal degradation and stability of poly(4-vinylpyridine) homopolymer and copolymers of 4-vinylpyridine with methyl acrylate
S.J. AZHARI & M.A. DIAB (Saudi Arabia)

257 Thermal degradation of copolymers of styrene and 4-nitrostyrene
M.J. FERNÁNDEZ & M.D. FERNÁNDEZ (Spain)

265 Photoageing of rigid PVC—I. Films containing Ca/Zn thermal stabiliser
C. ANTON-PRINET, G. MUR, M. GAY, L. AUDOUIN & J. VERDU (France)

275 Photoageing of rigid PVC—II. Degradation thickness profiles
C. ANTON-PRINET, J. DUBOIS, G. MUR, M. GAY, L. AUDOUIN & J. VERDU (France)

283 Photoageing of rigid PVC—III. Influence of exposure conditions on the thickness distribution of photoproducts
C. ANTON-PRINET, G. MUR, M. GAY, L. AUDOUIN & J. VERDU (France)

291 Fracture energy of automotive clearcoats—I. Experimental methods and mechanics
M.E. NICHOLS, C.A. DARR, C.A. SMITH, M.D. THOULESS & E.R. FISCHER (USA)

301 Thermo-mechanical degradation of polypropylene, low-density polyethylene and their 1:1 blend
W.R. WALDMAN & M.A. DE PAOLI (Brazil)

309 Degradation of polyisoprene induced by chloranil
E.I. BAPTISTA, G.M. CAMPESE, N.L. ZALLOUM, A.F. RUBIRA & E.C. MUNIZ (Brazil)

317 Investigation of the thermal degradation and stability of copolymers of 2-acrylamido-2-methylpropanesulphonic acid and methyl methacrylate
Y.A. AGGOUR (Egypt)

321 Ageing of EPDM—2. Role of hydroperoxides in photo- and thermo-oxidation
F. DELOR, G. TEISSEDRE, M. BABA & J. LACOSTE (France)

333 Effects of radiation and storage time on conductive NBR/LDPE blends
G.M. NASR, M.M. BADAWY & E. ATEIA (Egypt)

339 The comparison of radiation and photochemical stability of luminophores in polystyrene scintillators
I.I. BARASHKOVA & V.B. IVANOV (Russia)

345 Reactivity of ozone as a hydrogen-atom acceptor in reactions with antioxidants
T.G. DENISOVA & E.T. DENISOV (Russia)

351 Use of chemiluminescence to the study of photostability of automotive coatings
V. DUDLER, TH. BOLLE & G. RYTZ (Switzerland)

367 The thermal stability of copolymers of allyl alcohol with acrylonitrile and methyl methacrylate
D. ŞOLPAN & O. GÜVEN (Turkey)

371 Metal complexes of poly(acrylic acid): synthesis, characterization and thermogravimetric studies
N. SEBASTIAN, B. GEORGE & B. MATHEW (India)

377 Chemiluminescence study on the oxidation of several polyolefins—I. Thermal-induced degradation of additive-free polyolefins
R. SETNESCU, S. JIPA (Romania) & Z. OSAWA (Japan)

385 Antioxidant action of organic sulfites—II. Esters of sulfurous acid as primary antioxidants
A. GÜNTHER, T. KÖNIG, W.D. HABICHER & K. SCHWETLICK (Germany)

393 Radiation-resistant polypropylene improved by a compatibilizer
F. YOSHII (Japan), A. SUDRADJAT (Indonesia), D. BINH (Vietnam), K. MAKUUCHI & S. NISHIMOTO (Japan)

401 The effects of some transition-metal compounds on the flame retardance of poly(styrene-*co*-4-vinyl pyridine) and poly(methyl methacrylate-*co*-4-vinyl pyridine)
J.R. EBDON, L. GUISTI, B.J. HUNT & M.S. JONES (UK)

409 Ultrasonic degradation of polysilane polymers
ZHOU XIAODONG, LIN QUNFANG, DAI GANCE & JI FAXIANG (People's Republic of China)

415 Thermal dehydrochlorination of poly(vinyl chloride)–epoxidized butadiene/styrene triblock copolymer blends
W. MEISSNER & D. ŻUCHOWSKA (Poland)

425 Synthesis and characteristics of cellulose peroxides of the peracid type having a temperature-responsive function
H. KUBOTA, T. KONDO, T. ICHIKAWA & R. KATAKAI (Japan)

431 Water diffusion in polyethylene modified by ion irradiation
V. ŠVORČÍK, K. PROŠKOVÁ, V. RYBKA & V. HNATOWICZ (Czech Republic)

437 Biodegradation of octanoated starch and its blends with LDPE
D. BIKIARIS, E. PAVLIDOU, J. PRINOS (Greece), J. ABURTO, I. ALRIC, E. BORREDON (France) & C. PANAYIOTOU (Greece)

449 Thermal degradation studies of methacrylonitrile polymers and copolymers—3. Polymers capable of chain end-initiated colouration
I.C. MCNEILL & T. MAHMOOD (UK)

459 Photostabilizing effectiveness of new HALS produced by isocyanation of hindered piperidine derivatives
W.W.Y. LAU & J.-Q. PAN (Singapore)

465 Photodegradation of a polyamidehydroxyurethane type polymer in aqueous solution. The role of some dyes in the degradation
A. ONU, M. PALAMARU, E. TUTOVAN & C. CIOBANU (Romania)

471 Structure and properties of degradable polyolefin–starch blends
D. ŻUCHOWSKA, R. STELLER & W. MEISSNER (Poland)

481 Properties of chlorine-doped poly(*N*-vinylcarbazole) thin films
S. TOUIHRI, G. SAFOULA & J.C. BERNÈDE (France)

487 Thermal stability and the behaviour in organic solvents of some poly(ester–siloxane) urethanes
V. BULACOVSCHI, A. STANCIU, I. RUSU, A. CĂILEAN & F. UNGUREANU (Romania)

493 Oxidation profiles of thermally aged nitrile rubber
M. CELINA, J. WISE, D.K. OTTESEN, K.T. GILLEN & R.L. CLOUGH (USA)

505 Accelerated ageing behavior of compatible IPNs based on epoxy and methacrylated epoxy resins
M.-S. LIN, M.-W. WANG, C.-T. LEE & S.-Y. SHAO (Taiwan)

511 On the photostability of some benzanthrone dye derivatives and their copolymers with methylmethacrylate
T. KONSTANTINOVA, A. SPIRIEVA & H. KONSTANTINOV (Bulgaria)

515 Electrochemical dehydrohalogenation of poly(vinylchloride) in pyridine
Y. KONTSUR, G. SHAPOVAL & A. PUD (Ukraine)

517 Calendar of events

Volume 61 Number 1 1998

1 Effect of ultra-high molecular weight species in high-density polyethylenes on the resistance to creep failure by a surface active agent
M. AIBA & Z. OSAWA (Japan)

9 Thermal degradation of short polyester fiber–polyurethane elastomer composite
F. SUHARA, S.K.N. KUTTY & G.B. NANDO (India)

15 Syntheses and photobiodegradable properties of graft copolymers of vinyl ketones and starch
W.M. CHOI, I.D. JUNG, S.K. KWON, C.S. HA & W.J. CHO (Korea)

21 Thermal degradation behavior of optically active N-phenyl, N-benzyl, N-diphenylmethyl and N-triphenylmethyl maleimide polymers
W. LIU, Y. LIU, C. CHEN, Y. CHEN & F. XI (China)

27 Termination of peroxy radicals of 6-hexanelactam
B. LÁNSKÁ (Czech Republic)

33 Photostabilisation of wood surfaces using a grafted benzophenone UV absorber
M. KIGUCHI (Japan) & P.D. EVANS (Australia)

47 Compounding of radiation stable PVC formulations
C.T. RATNAM & K. ZAMAN (Malaysia)

53 Water ageing of SMC composite materials: a tool for material characterisation
G. CAMINO, A.YA. POLISHCHUK, M.P. LUDA, M. REVELLINO (Italy), R. BLANCON & J.J. MARTINEZ-VEGA (France)

65 Surface modifications of polyvinylidene fluoride (PVDF) under rf Ar plasma
M.D. DUCA, C.L. PLOSCEANU & T. POP (Romania)

73 Effect of gamma irradiation on the stress-relaxation of drawn LLDPE
V. DJOKOVIĆ, Z. KAČAREVIĆ-POPOVIĆ, D. DUDIĆ & D. KOSTOSKI (Yugoslavia)

79 Hydrobromination of polyoctenamer: I. Synthesis and photostability of the resulting brominated polyethylene
I. LUKAC (Slovak Republic), J.F. PILICHOWSKI & J. LACOSTE (France)

87 The thermogravimetric analysis of some polysiloxanes
J.D. JOVANOVIC, M.N. GOVEDARICA, P.R. DVORNIC & I.G. POPOVIC (Yugoslavia)

95 A detailed analysis of the pyrolysis products from dioctyltin maleate and its mixture with PVC
I.C. MCNEILL, M.H. MOHAMMED & W.J. COLE (UK)

109 Chemiluminescence study on the oxidation of several polyolefins: II. Chemiluminescence from γ-irradiated polymers
R. SETNESCU, S. JIPA, T. SETNESCU, C. PODINĂ (Romania) & Z. OSAWA (Japan)

119 Chemiluminescence of polyamides: I. Luminescence accompanying autoxidation of lactams and thermolysis of lactam hydroperoxides
B. LÁNSKÁ (Czech Republic), L. MATISOVÁ-RYCHLÁ & J. RYCHLÝ (Slovak Republic)

129 Biodegradability of poly(tetramethylene succinate-co-tetramethylene adipate): I. Enzymatic hydrolysis
Y. ANDO, K. YOSHIKAWA, T. YOSHIKAWA, M. NISHIOKA, R. ISHIOKA & Y. YAKABE (Japan)

139 Stabiliser interactions in the thermal and photooxidation of titanium dioxide pigmented polypropylene films
N.S. ALLEN, M. EDGE (UK), T. CORRALES & F. CATALINA (Spain)

151 Loss rate of UV absorbers in automotive coatings
R. IYENGAR & B. SCHELLENBERG (USA)

161 Thermal analysis of chitosan modified by cyclic oxygenated compounds
F.A.A. TIRKISTANI (Saudi Arabia)

165 Thermal degradation of styrene-2, 4-dinitrostyrene copolymers
M.J. FERNÁNDEZ & M.D. FERNÁNDEZ (Spain)

173 Calendar of Events

Volume 61 Number 2 1998

177 Spectral and photostabilizing characteristics of adducts of aromatic hydrocarbons and hindered amine stabilizers
P. HRDLOVIČ & Š. CHMELA (Slovak Republic)

183 Ageing and stabilisation of filled polymers: an overview
N.S. ALLEN, M. EDGE, T. CORRALES, A. CHILDS, C.M. LIAUW (UK), F. CATALINA, C. PEINADO (Spain), A. MINIHAN & D. ALDCROFT (UK)

201 Pyrolysis kinetics of char forming polymers
R.E. LYON (USA)

211 Photoageing of rigid PVC—IV. Effects of titanium dioxide
C. ANTON-PRINET, G. MUR, M. GAY, L. AUDOUIN & J. VERDU (France)

217 Recovery of oil from waste poly(ethylene terephthalate) without producing any sublimate materials
T. MASUDA, Y. MIWA, K. HASHIMOTO & Y. IKEDA (Japan)

225 The hydrolysis of poly(lactic acid)/poly(hexamethylene succinate) blends
M.R. LOSTOCCO & S.J. HUANG (USA)

231 Inverse temperature and annealing phenomena during degradation of crosslinked polyolefins
M. CELINA, K.T. GILLEN & R.L. CLOUGH (USA)

245 Degradability of poly(3-hydroxybutyrate) and its copolymer grafted with styrene by radiation
K. BAHARI, H. MITOMO, T. ENJOJI, F. YOSHII & K. MAKUUCHI (Japan)

253 Biodegradability of polysaccharide/EVA reject blends by high resolution NMR and mechanical property
C.G. MOTHÉ & M.I.B. TAVARES (Brazil)

259 Thermogravimetric study of the degradation of nitrated, chlorinated and brominated poly(acenaphthylene)
A. FLORES, M. RODRÍGUEZ, M.L. MORRÁS & L.M. LEÓN (Spain)

265 Structural modifications of vinylidene fluoride-trifluorethylene (70–30) copolymer induced by X-ray irradiation
H.A.C. GIL, R.M. FARIA & Y. KAWANO (Brazil)

275 Glass transition and thermal stability of poly(N-isopropylacrylamide) gels and some of their copolymers with acrylamide
R.G. SOUSA, W.F. MAGALHÃES & R.F.S. FREITAS (Brazil)

283 Thermal degradation kinetics of phenol–crotonaldehyde resins
M.P. RAGHAVA RAO, B.S.M. RAO, C.R. RAJAN & R.S. GHADAGE (India)

289 Thermogravimetric evaluation of the kinetics of decomposition of polyolefin blends
C. ALBANO & E. DE FREITAS (Venezuela)

297 The photooxidative degradation of poly(vinylchloride)—2. The stabilising action of dibutyltin maleate and trisnitro (1,3-dihydroxyl-2-hydroxylmethyl-2-nitropropane) on PVC from ultraviolet light radiation
M. TUROTI, J.Y. OLAYEMI, J.B. ADENIYI & O. PETERS (Nigeria)

303 Effectiveness of a plant polymer as an antioxidant
B.C. BAG, A.K. GHOSH, B. ADHIKARI & S. MAITI (India)

309 Effect of gamma irradiation on the MW distribution of polyisobutylene: use of statistical logarithmic plots to assess GPC results
R.S. LEHRLE & C.S. PATTENDEN (UK)

319 Enzymatic degradation of poly(hydroxyalkanoate) by *Corynebacterium aquaticum* IM-1 isolated from activated sludge
M. ITO, Y. SAITO, T. MATSUNOBU, O. HIRUTA & H. TAKEBE (Japan)

329 Trapping of volatile low molecular weight photoproducts in inert and enhanced degradable LDPE
F. KHABBAZ, A.-C. ALBERTSSON & S. KARLSSON (Sweden)

343 Hydrobromination of polyoctenamer—II. Access to new polymeric hindered amine stabilizers by nucleophilic substitution
I. LUKAC (Slovak Republic), J.F. PILICHOWSKI & J. LACOSTE (France)

349 Dehydrochlorination behavior of rigid PVC pellet in NaOH solutions at elevated temperature
S.-M. SHIN, T. YOSHIOKA & A. OKUWAKI (Japan)

355 Biodegradability of gelatin–PF resin blends by soil burial method
T.H. GOSWAMI & M.M. MAITI (India)

361 Wavelength effect on the accelerated photodegradation of polymethylmethacrylate
A. TORIKAI & H. HASEGAWA (Japan)

365 Calendar of events

Volume 61 Number 3 1998

367 Photochemical behaviour of natural silk—III. Photofading of silk dyed with acid azo dyes
V. VASSILEVA, S. BALTOVA & S. HANDJIEVA (Bulgaria)

375 An evaluation of poly-D,L-lactide bio-absorbable intramedullary plugs
G.G. HENN, C. BIRKINSHAW, M. BUGGY & E. JONES (Ireland)

383 DSC studies on specific heat capacity of irradiated ethylene–propylene elastomers—II. EPDM
T. ZAHARESCU, V. MELTZER & R. VÎLCU (Romania)

389 The role of ultra-high molecular weight species in high-density polyethylenes in creep failure by a surface active agent
M. AIBA & Z. OSAWA (Japan)

399 Combustion and smoke emission properties of poly(ethylene terephthalate) filled with phosphorous and metallic oxides
J.T. YEH, S. H. HSIEH, Y.C. CHENG, M.J. YANG & K.N. CHEN (Taiwan)

409 Enzymic hydrolysis of phthalic unit containing copolyesters as a potential tool for block length determination
N. VALIENTE, T. LALOT, M. BRIGODIOT & E. MARÉCHAL (France)

417 Competition between degradation and chain extension during processing of reclaimed poly(ethylene terephthalate)
M. PACI (Italy)

421 Influence of metallic additives on thermal degradation and liquefaction of high density polyethylene (HDPE)
M.V.S. MURTY, P. RANGARAJAN, E.A. GRULKE & D. BHATTACHARYYA (USA)

431 Thermal behaviour of natural rubber/polystyrene blends: thermogravimetric and differential scanning calorimetric analysis
R. ASALETHA, M.G. KUMARAN & S. THOMAS (India)

441 Thermal degradation and fire behaviour of unsaturated polyester with chain ends modified by dicyclopentadiene
A. BAUDRY, J. DUFAY, N. REGNIER & B. MORTAIGNE (France)

453 The photodegradation of poly(2,6-dimethyl-1,4-phenylene oxide)—a flash photolysis study of polymer and model compounds
S. SCHNEIDER, F. RICHTER & B. BREM (Germany)

465 Combustion of polyethylenes filled with metallic hydroxides and ethylene vinyl acetate copolymer
J.T. YEH, M.J. YANG & S.H. HSIEH (Taiwan)

473 Stability and degradation of poly(1,4-phenylene-1,3,4-oxadiazole) molecules in sulphuric acid
P.N. LAVRENKO, O.V. OKATOVA (Russia) & B. SCHULZ (Germany)

481 Pyrolysis pathways of polyethers and a method for the interpretation of the pyrolysis mass spectra of polyethers
C.G. GEORGAKOPOULOS, M. STATHEROPOULOS (Greece) & G. MONTAUDO (Italy)

493 Thermal degradation of poly[2-(3-aryl-3-methylcyclobutyl)-2-hydroxyethyl methacrylate]
M. COŞKUN, K. DEMIRELLI, I. EROL & M. AHMEDZADE (Turkey)

499 Biodegradation of poly-ε-caprolactone under controlled composting conditions
A. OHTAKI, N. SATO & K. NAKASAKI (Japan)

507 Depolymerization processes in the thermal degradation of cellulosic paper insulation in electrical transformers
S. LEVCHIK, J. SCHEIRS, G. CAMINO, W. TUMIATTI & M. AVIDANO (Italy)

513 Furfuraldehyde resin pyrolysis in a closed system
R. SÁNCHEZ (Brazil), C. HERNÁNDEZ (Cuba) & J. RIEUMONT (Brazil)

519 Thermal degradation of two copolymers of vinylidene cyanide and methyl α acetoxyacrylate. Thermogravimetric and gas chromatography–mass spectrometry studies
I. OUILLON, A. ZERROUKHI (France), M. RAIHANE (Morocco) & B. BOINON (France)

527 Synthesis and hydrolysis resistance of polyurethane derived from 2,4-diethyl-1,5-pentanediol
S. MURATA, T. NAKAJIMA, N. TSUZAKI, M. YASUDA & T. KATO (Japan)

535 Biodegradation of lignocellulosic substances and production of sugars and lignin degradation intermediates by four selected microbial strains
A.A. EL-GAMMAL, Z. KAMEL, Z. ADEEB & S.M. HELMY (Egypt)

543 Detection of monomeric hexane diisocyanate in aqueous extracts of a polyurethane device as an artefact of injection port pyrolysis in gas chromatography
J. TREACY & P. LAMOND (UK)

547 Calendar of events

Volume 62 Number 1 1998

1 Chemical recycling of polytetrafluoroethylene by pyrolysis
C. M. SIMON & W. KAMINSKY (Germany)

9 Thermal degradation studies of novel diethylene glycol based unsaturated polyesters in air
J. P. AGRAWAL, D. B. SARWADE, P. S. MAKASHIR, R. R. MAHAJAN & P. S. DENDAGE (India)

15 Thermal and photodegradation of polysulfide pre-polymers: products and pathways
ANDREA MAHON, TERENCE J. KEMP & ROBERT J. COATES (UK)

25 Effect of metal carboxylates on the thermal decomposition of cellulose
S. SOARES, G. CAMINO & S. LEVCHIK (Italy)

33 An investigation of the kinetics of cellulose degradation under non-isothermal conditions
STEPHEN W. BIGGER, JOHN SCHEIRS (Australia) & GIOVANNI CAMINO (Italy)

41 Mechanisms of thermal degradation of a polyester flame-retarded with antimony oxide/brominated polycarbonate studied by temperature-programmed analytical pyrolysis
HIROAKI SATO, KIYOTAKA KONDO, SHIN TSUGE, HAJIME OHTANI & NOBUYUKI SATO (Japan)

49 Thermal and thermo-oxidative degradation of poly(trimethylene oxide) and its complexes with NaCNS and $LiClO_4$
L. COSTA, G. CAMINO, M. P. LUDA (Italy), G. G. CAMERON & M. Y. QURESHI (UK)

57 The effect of blending on polymer stability: kinetics and mechanisms
DAVID M. BATE & ROY S. LEHRLE (UK)

67 A new approach for measuring the rate of pyrolysis of cross-linked polymers: evaluation of degradation rate constants for cross-linked PMMA
DAVID M. BATE & ROY S. LEHRLE (UK)

73 A critical comparison of procedures for evaluating rate constants in thermal degradation, illustrated by pyrolysis–g.c. results from four polymers
D. M. BATE, R. S. LEHRLE, C. S. PATTENDEN & E. J. PLACE (UK)

85 Thermal degradation studies of alternating copolymers—V. Degradation of the alternating copolymer of isopropenyl acetate and maleic anhydride
IAN C. MCNEILL, SHAFIQUE AHMED & STUART RENDALL (UK)

97 The effects of hydrogen peroxide and sterilization on the structure of ultra high molecular weight polyethylene
M. GOLDMAN, R. GRONSKY, G. G. LONG & L. PRUITT (USA)

105 Weather ageing characterization of the mechanical properties of the low density polyethylene
H. AL-MADFA, Z. MOHAMED & M. E. KASSEM (Qatar)

111 Recycling of polyethylene films used in greenhouses—development of multilayer plastic films
E. M. ABDEL-BARY, M. N. ISMAIL, A. A. YEHIA & A. A. ABDEL-HAKIM (Egypt)

117 Photochemical behaviour of poly(vinylmethylether)
BÉNÉDICTE MAILHOT, SAMUEL MOREL & JEAN-LUC GARDETTE (France)

127 Oxidative and photooxidative degradations of PP/PBT blends
A. RIVATON, F. SERRE & J. L. GARDETTE (France)

145 Polychlorinated dibenzodioxins and dibenzofurans in PVC pyrolysis
IAN C. MCNEILL, LIVIA MEMETEA, MUSARRAT H. MOHAMMED, ALWYN R. FERNANDES & PETER AMBIDGE (UK)

157 Infrared spectroscopy of some treated lignins
ABD-ALLA M. A. NADA, M. A. YOUSEF, K. A. SHAFFEI & A. M. SALAH (Egypt)

165 Preparation and properties of new antioxidants with higher MW
JIANG-QING PAN, N. C. LIU & WAYNE W. Y. LAU (Singapore)

171 The effect of thermal ageing and type of stabilizer on creep characteristics of poly(vinyl chloride)
S. S. HAMZA & M. ABDEL-HAMID (Egypt)

175 Hydroperoxide decomposing ability and hydrolytic stability of organic phosphites containing hindered amine moieties (HALS-Phosphites)
I. BAUER, S. KÖRNER, B. PAWELKE (Germany), S. AL-MALAIKA (UK) & W. D. HABICHER (Germany)

187 Thermal and photodegradation of MnO_2-, $NaBO_3$- and organic hydroperoxide-cured polysulfides: products and pathways
ANDREA MAHON, TERENCE J. KEMP & ROBERT J. COATES (UK)

199 Calendar of events

Volume 62 Number 2 1998

201 Behaviour of starch bearing nitrogen-containing moieties towards acid degradation
F. F. E. SISI, S. A. ABDEL-HAFIZ, A. R. SALEH & A. HEBEISH (Egypt)

211 Gamma irradiation of a polyisobutylene rubber: effects on the molecular weight and the subsequent thermal stability
R. S. LEHRLE & C. S. PATTENDEN (UK)

225 On the use of Fourier transform infrared spectroscopy and ultraviolet spectroscopy to assess the weathering performance of isolated clearcoats from different chemical families
J. L. GERLOCK, C. A. SMITH, V. A. COOPER, T. G. DUSBIBER & W. H. WEBER (USA)

235 Thermooxidative degradation of polyolefins in the solid state—6. Kinetics of thermal oxidation of polypropylene
F. GUGUMUS (Switzerland)

245 Thermooxidative degradation of polyolefins in the solid state—7. Effect of sample thickness and heterogeneous oxidation kinetics for polypropylene
F. GUGUMUS (Switzerland)

259 Enzymatic degradation of radiation crosslinked poly(ε–caprolactone)
D. DARWIS, H. MITOMO, T. ENJOJI, F. YOSHII & K. MAKUUCHI (Japan)

267 The effect of filler type on the thermal degradation of inorganic filled poly(2-hydroxyethyl methacrylate) composites
T. ÇAYKARA & O. GÜVEN (Turkey)

271 Retardation of anaerobic degradation of poly(ρ-methoxyacrylophenone)
N. A. WEIR, J. ARCT & D. M. LEACH (Canada)

279 Effects of temperature and inoculum on the degradability of poly-ε-caprolactone during composting
A. OHTAKI, N. AKAKURA & K. NAKASAKI (Japan)

285 Characterising the degradation of the polymer slip additive erucamide in the presence of inorganic antiblock agents
C. W. PELOSO, M. J. O'CONNOR, S. W. BIGGER & J. SCHEIRS (Australia)

291 Effects of X-ray radiation on Nafion membrane
S. H. ALMEIDA & Y. KAWANO (Brazil)

299 Thermo-oxidative degradation of siloxane-containing polyimide and unmodified polyimide
T. C. CHANG, K. H. WU, C. L. LIAO, S. T. LIN & G. P. WANG (Taiwan)

307 Synthesis and performance of new bifunctional stabilizers
N. LIU, J.-Q. PAN & W. W. Y. LAU (Singapore)

315 Synthesis and properties of new polymerisable antioxidants
J.-Q. PAN, N. C. LIU & W. W. Y. LAU (Singapore)

323 On the synthesis and properties of copolymers of some benzanthrone dye derivatives with methylmethacrylate
T. KONSTANTINOVA, H. KONSTANTINOV, T. KANEVA & A. SPIRIEVA (Bulgaria)

327 Photooxidation of functionalized perfluorinated polyethers—II
J. SCHEIRS, G. CAMINO, L. COSTA, C. TONELLI, S. TURRI & M. SCICCHITANO (Italy)

337 Polyaniline as an antioxidant and antirad in SBR vulcanizates
M. N. ISMAIL, M. S. IBRAHIM & M. A. A. EL-GHAFFAR (Egypt)

343 Effect of chemical structure on the biodegradation of polyurethanes under composting conditions
Y. D. KIM & S. C. KIM (Korea)

353 Photochemical degradation study of an epoxy material by IR-ATR spectroscopy
L. MONNEY, R. BELALI, J. VEBREL, C. DUBOIS & A. CHAMBAUDET (France)

361 Biodegradation of disposable polyethylene by fungi and *Streptomyces* species
H. A. EL-SHAFEI, N. H. A. EL-NASSER, A. L. KANSOH & A. M. ALI (Egypt)

367 Photo-chemical degradation study of an epoxy material by X-ray analysis
L. MONNEY, N. ROUGE, C. DUBOIS & A. CHAMBAUDET (France)

373 Spectroscopic analysis of organic contaminants in terephthalic acid: colour implications in poly(ethylene terephthalate) manufacture
N. S. ALLEN, M. EDGE, J. DANIELS & D. ROYALL (UK)

385 Chemiluminescence as an industrial test method for antioxidant effectiveness in polyolefins—1. Fundamental considerations
D. R. KOHLER & C. KRÖHNKE (Switzerland)

395 Oxidation of rubbers analysed by HATR/IR spectroscopy
F. DELOR, N. BARROIS-OUDIN, X. DUTEURTRE, C. CARDINET, J. LEMAIRE & J. LACOSTE (France)

403 Novel role for tropospheric ozone in initiation of autoxidation
F. GUGUMUS (Switzerland)

407 Book reviews

411 Calendar of events

Volume 62 Number 3 1998

413 Volatiles release from photodegrading, pigmented PVC: kinetic changes
D. J. CARLSSON, M. KRZYMIEN, G. PLEIZIER, D. J. WORSFOLD & M. DAY (Canada)

421 Influence of various stabilizer systems on the ageing behavior of PE–MD—I. Hot-water ageing of compression molded plaques
G. DÖRNER & R. W. LANG (Austria)

431 Influence of various stabilizer systems on the ageing behavior of PE–MD—II. Ageing of pipe specimens in air and water at elevated temperatures
G. DÖRNER & R. W. LANG (Austria)

441 Ozone destruction of some *trans*-polydienes
G. IVAN & M. GIURGINCA (Romania)

447 Thermal stability of cured gelatin–trimethylolphenol blends: effect of plasticizer
T. H. GOSWAMI & M. M. MAITI (India)

455 Molecular structure and dielectric properties of some treated lignins
M. DAWY, A. A. SHABAKA & A. M. A. NADA (Egypt)

463 Surface composition and biodegradability of poly(3-hydroxybutyric acid)/poly(vinyl alcohol) blend films
T. IKEJIMA, A. CAO, N. YOSHIE & Y. INOUE (Japan)

471 Thermal stability of butyl/EPDM rubber blend vulcanizates
S. H. BOTROS (Egypt)

479 Preparation and characterization of butyl/NBR vulcanizates
S. H. BOTROS & K. N. ABDEL-NOUR (Egypt)

487 Infrared and thermogravimetric studies of thermal degradation of polystyrene in the presence of ammonium sulfate
X. ZHU, M. ELOMAA, F. SUNDHOLM (Finland) & C. H. LOCHMÜLLER (USA)

495 Thermal and photodegradation of glycidyl azide polymers
S. K. SAHU, S. P. PANDA, D. S. SADAFULE, C. G. KUMBHAR, S. G. KULKARNI & J. V. THAKUR (India)

501 Weight loss during different weathering tests of industrial thermoplastic elastomer polyurethane-coated fabrics
S. HOLLANDE & J.-L. LAURENT (France)

507 Solubility of antioxidants in poly(vinyl butyral)
A. P. MAR'IN, L. A. TATARENKO & YU. A. SHLYAPNIKOV (Russia)

513 Tertiary recycling of polyethylene: mechanism of liquid production from polyethylene by thermolysis/reactive distillation
W. C. MCCAFFREY, D. G. COOPER & M. R. KAMAL (Canada)

523 Study on discoloration mechanism of polyamide 6 during thermo-oxidative degradation
R. LI & X. HU (People's Republic of China)

529 Antioxidant activities of fused heterocyclic compounds, xanthene-2,7-diols with BHT or catechol skeleton
T. NISHIYAMA, K. SAKITA, T. FUCHIGAMI & T. FUKUI (Japan)

535 Doping of ion irradiated poly(aryl ether ether ketone) from water solution of LiCl
V. ŠVORČÍK, V. RYBKA, J. VACÍK, V. HNATOWICZ (Czech Republic) & Y. KOBAYASHI (Japan)

541 Thermo and photo-oxidation of polyisobutylene—II. Influence of the temperature
L. GONON, M. TROQUET, E. FANTON & J.-L. GARDETTE (France)

551 Radiation crosslinked poly(butylene succinate) foam and its biodegradation
K. BAHARI, H. MITOMO, T. ENJOJI, F. YOSHII & K. MAKUUCHI (Japan)

559 Phosphoryldithioformates as spin trapping agents and process stabilizers—3
A. ALBERTI, M. BENAGLIA, M. BONORA, V. BORZATTA (Italy), A. HUDSON (UK), D. MACCIANTELLI (Italy) & S. MASSON (France)

569 Evaluation of compatibility of EPDM and butyl rubber—II. Thermal and radiation stability
T. ZAHARESCU, S. JIPA, M. GIURGINCA & C. PODINA (Romania)

575 Thermal degradation and ageing behaviour of novel thermoplastic elastomeric nylon-6/acrylate rubber reactive blends
A. JHA & A. K. BHOWMICK (India)

587 Thermal and electrical behaviour of radiation vulcanized EPDM/Al_2O_3 composites
M. M. ABDEL-AZIZ, S. E. GWAILY & M. MADANI (Egypt)

599 Wavelength sensitivity of photo-oxidation of polyamide 6
X. HU (People's Republic of China)

603 Corrigendum

605 Calendar of events

607 Contents of Volumes 59–62